

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Aa	ARMAGH SILT LOAM, 0 TO 2 PERCENT SLOPES	ARMAGH	poorly	Very high
Aa	ARMAGH SILT LOAM, 0 TO 2 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Ab	ARMAGH SILT LOAM, 2 TO 8 PERCENT SLOPES	ARMAGH	poorly	Very high
Ab	ARMAGH SILT LOAM, 2 TO 8 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Ac	ARMAGH SILT LOAM, 2 TO 8 PERCENT SLOPES, SEVERELY ERODED	ARMAGH	poorly	Very high
Ac	ARMAGH SILT LOAM, 2 TO 8 PERCENT SLOPES, SEVERELY ERODED	CAVODE	somewhat poorly	Very high
Ad	ARMAGH SILT LOAM, 8 TO 15 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Ad	ARMAGH SILT LOAM, 8 TO 15 PERCENT SLOPES	ARMAGH	poorly	Very high
Ae	ARMAGH STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	ARMAGH	poorly	Very high
Ae	ARMAGH STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Af	ATKINS SILT LOAM, 0 TO 5 PERCENT SLOPES	ATKINS	poorly	Very high
Ba	BRINKERTON SILT LOAM, 0 TO 2 PERCENT SLOPES	BRINKERTON	poorly	Very high
Bb	BRINKERTON SILT LOAM, 2 TO 10 PERCENT SLOPES	BRINKERTON	poorly	Very high
Bc	BRINKERTON STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	BRINKERTON	poorly	Very high
Ca	CAVODE CHANNERY SILT LOAM, 2 TO 8 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Ca	CAVODE CHANNERY SILT LOAM, 2 TO 8 PERCENT SLOPES	COOKPORT	moderately well	High
Cb	CAVODE CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Cc	CAVODE SILT LOAM, 0 TO 2 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Cd	CAVODE SILT LOAM, CONCRETIONARY VARIANT, 0 TO 2 PERCENT SLOPES	CAVODE VARIANT	somewhat poorly	Very high
Cd	CAVODE SILT LOAM, CONCRETIONARY VARIANT, 0 TO 2 PERCENT SLOPES	COOKPORT	moderately well	High
Ce	CAVODE SILT LOAM, 2 TO 8 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Cf	CAVODE SILT LOAM, 2 TO 8 PERCENT SLOPES, SEVERELY ERODED	CAVODE	somewhat poorly	Very high
Cg	CAVODE SILT LOAM, CONCRETIONARY VARIANT, 2 TO 8 PERCENT SLOPES	CAVODE VARIANT	somewhat poorly	Very high

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Cgc	CAVODE SILT LOAM, CONCRETIONARY VARIANT, 8 TO 15 PERCENT SLOPES	CAVODE VARIANT	somewhat poorly	Very high
Ch	CAVODE SILT LOAM, 8 TO 15 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Ck	CAVODE SILT LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	CAVODE	somewhat poorly	Very high
Cl	CAVODE SILT LOAM, 15 TO 25 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Cl a	COOKPORT CHANNERY SILT LOAM, 8 TO 15 PERCENT SLOPES	ERNEST	moderately well	High
Cl b	COOKPORT CHANNERY SILT LOAM, 15 TO 30 PERCENT SLOPES	ERNEST	moderately well	Very high
Cl c	COOKPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	ERNEST	moderately well	Medium
Cl d	COOKPORT SILT LOAM, 2 TO 8 PERCENT SLOPES	ERNEST	moderately well	High
Cl e	COOKPORT SILT LOAM, 8 TO 15 PERCENT SLOPES	ERNEST	moderately well	High
Cl f	COOKPORT STONY SILT LOAM, 0 TO 15 PERCENT SLOPES	COOKPORT	moderately well	High
Cl g	COOKPORT STONY SILT LOAM 15 TO 30 PERCENT SLOPES	COOKPORT	moderately well	Very high
Cm	CAVODE SILT LOAM, 15 TO 25 PERCENT SLOPES, SEVERELY ERODED	CAVODE	somewhat poorly	Very high
Cn	CAVODE SILT LOAM, 25 TO 35 PERCENT SLOPES, ERODED	CAVODE	somewhat poorly	Very high
Co	CAVODE STONY SILT LOAM, 2 TO 15 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Cp	CAVODE STONY SILT LOAM, 15 TO 30 PERCENT SLOPES	CAVODE	somewhat poorly	Very high
Cr	CLYMER CHANNERY LOAM, 0 TO 5 PERCENT SLOPES	RAYNE	well	Medium
Cs	CLYMER CHANNERY LOAM, 5 TO 12 PERCENT SLOPES	RAYNE	well	Medium
Ct	CLYMER CHANNERY LOAM, 12 TO 25 PERCENT SLOPES	RAYNE	well	High
Cu	CLYMER LOAM, 0 TO 5 PERCENT SLOPES	RAYNE	well	Medium
Cv	CLYMER LOAM, 5 TO 12 PERCENT SLOPES	RAYNE	well	Medium
Cw	COOKPORT CHANNERY LOAM, 2 TO 8 PERCENT SLOPES	ERNEST	moderately well	High

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Cx	COOKPORT CHANNERY LOAM, 8 TO 15 PERCENT SLOPES	ERNEST	moderately well	High
Cy	COOKPORT CHANNERY SILT LOAM, 0 TO 2 PERCENT SLOPES	ERNEST	moderately well	Medium
Cz	COOKPORT CHANNERY SILT LOAM, 2 TO 8 PERCENT SLOPES	ERNEST	moderately well	High
Da	DEKALB CHANNERY LOAM, 0 TO 5 PERCENT SLOPES	HAZLETON	well	Very low
Da	DEKALB CHANNERY LOAM, 0 TO 5 PERCENT SLOPES	HAZLETON	well	Very low
Db	DEKALB CHANNERY LOAM, 5 TO 12 PERCENT SLOPES	HAZLETON	well	Low
Db	DEKALB CHANNERY LOAM, 5 TO 12 PERCENT SLOPES	HAZLETON	well	Low
Dc	DEKALB CHANNERY LOAM, 12 TO 25 PERCENT SLOPES	HAZLETON	well	Low
Dc	DEKALB CHANNERY LOAM, 12 TO 25 PERCENT SLOPES	DEKALB	well	Very low
Dd	DEKALB CHANNERY LOAM, 12 TO 25 PERCENT SLOPES, SEVERELY ERODED	HAZLETON	well	Medium
Dd	DEKALB CHANNERY LOAM, 12 TO 25 PERCENT SLOPES, SEVERELY ERODED	DEKALB	well	Very low
De	DEKALB CHANNERY LOAM, 25 TO 35 PERCENT SLOPES	HAZLETON	well	Medium
De	DEKALB CHANNERY LOAM, 25 TO 35 PERCENT SLOPES	DEKALB	well	Low
Df	DEKALB CHANNERY LOAM, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	HAZLETON	well	Medium
Df	DEKALB CHANNERY LOAM, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	DEKALB	well	Low
Dg	DEKALB CHANNERY LOAM, 35 TO 60 PERCENT SLOPES	DEKALB	well	Low
Dg	DEKALB CHANNERY LOAM, 35 TO 60 PERCENT SLOPES	HAZLETON	well	Medium
Dh	DEKALB CHANNERY SANDY LOAM, 0 TO 5 PERCENT SLOPES	HAZLETON	well	Low
Dh	DEKALB CHANNERY SANDY LOAM, 0 TO 5 PERCENT SLOPES	DEKALB	well	Very low
Dk	DEKALB CHANNERY SANDY LOAM, 5 TO 12 PERCENT SLOPES	HAZLETON	well	Low

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Dk	DEKALB CHANNERY SANDY LOAM, 5 TO 12 PERCENT SLOPES	DEKALB	well	Very low
Dl	DEKALB CHANNERY SANDY LOAM, 12 TO 25 PERCENT SLOPES	DEKALB	well	Low
Dl	DEKALB CHANNERY SANDY LOAM, 12 TO 25 PERCENT SLOPES	HAZLETON	well	Medium
Dm	DEKALB CHANNERY SANDY LOAM, 12 TO 25 PERCENT SLOPES, SEVERELY ERODED	HAZLETON	well	Medium
Dm	DEKALB CHANNERY SANDY LOAM, 12 TO 25 PERCENT SLOPES, SEVERELY ERODED	DEKALB	well	Low
Dn	DEKALB CHANNERY SANDY LOAM, 25 TO 35 PERCENT SLOPES	DEKALB	well	Low
Dn	DEKALB CHANNERY SANDY LOAM, 25 TO 35 PERCENT SLOPES	HAZLETON	well	Low
Do	DEKALB CHANNERY SANDY LOAM, 35 TO 60 PERCENT SLOPES	DEKALB	well	Low
Do	DEKALB CHANNERY SANDY LOAM, 35 TO 60 PERCENT SLOPES	HAZLETON	well	Medium
Dp	DEKALB LOAM, 0 TO 5 PERCENT SLOPES	HAZLETON	well	Very low
Dp	DEKALB LOAM, 0 TO 5 PERCENT SLOPES	HAZLETON	well	Very low
Dr	DEKALB LOAM, 5 TO 12 PERCENT SLOPES	HAZLETON	well	Low
Dr	DEKALB LOAM, 5 TO 12 PERCENT SLOPES	HAZLETON	well	Low
Ds	DEKALB LOAM, 12 TO 25 PERCENT SLOPES	DEKALB	well	Very low
Ds	DEKALB LOAM, 12 TO 25 PERCENT SLOPES	HAZLETON	well	Medium
Dt	DEKALB STONY LOAM, 0 TO 25 PERCENT SLOPES	HAZLETON	well	Low
Dt	DEKALB STONY LOAM, 0 TO 25 PERCENT SLOPES	DEKALB	well	Very low
Du	DEKALB STONY LOAM, 25 TO 35 PERCENT SLOPES	HAZLETON	well	Medium
Du	DEKALB STONY LOAM, 25 TO 35 PERCENT SLOPES	DEKALB	well	Low
Dv	DEKALB STONY LOAM, 35 TO 75 PERCENT SLOPES	HAZLETON	well	Medium
Dv	DEKALB STONY LOAM, 35 TO 75 PERCENT SLOPES	DEKALB	well	Low
Ea	ERNEST SILT LOAM, 0 TO 8 PERCENT SLOPES	ERNEST	moderately well	Medium

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Ea	ERNEST SILT LOAM, 0 TO 8 PERCENT SLOPES	BUCHANAN	moderately well	High
Eb	ERNEST SILT LOAM, 0 TO 8 PERCENT SLOPES, SEVERELY ERODED	ERNEST	moderately well	Medium
Eb	ERNEST SILT LOAM, 0 TO 8 PERCENT SLOPES, SEVERELY ERODED	BUCHANAN	moderately well	High
Ec	ERNEST SILT LOAM, 8 TO 15 PERCENT SLOPES	ERNEST	moderately well	High
Ec	ERNEST SILT LOAM, 8 TO 15 PERCENT SLOPES	BUCHANAN	moderately well	High
Ed	ERNEST SILT LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	ERNEST	moderately well	High
Ed	ERNEST SILT LOAM, 8 TO 15 PERCENT SLOPES, SEVERELY ERODED	BUCHANAN	moderately well	High
Ee	ERNEST SILT LOAM, 15 TO 30 PERCENT SLOPES	ERNEST	moderately well	Very high
Ee	ERNEST SILT LOAM, 15 TO 30 PERCENT SLOPES	BUCHANAN	moderately well	High
Ef	ERNEST STONY SILT LOAM, 2 TO 15 PERCENT SLOPES	ERNEST	moderately well	High
Ef	ERNEST STONY SILT LOAM, 2 TO 15 PERCENT SLOPES	BUCHANAN	moderately well	High
Eg	ERNEST STONY SILT LOAM, 15 TO 30 PERCENT SLOPES	ERNEST	moderately well	Very high
Eg	ERNEST STONY SILT LOAM, 15 TO 30 PERCENT SLOPES	BUCHANAN	moderately well	High
Ga	GILPIN CHANNERY LOAM, 0 TO 5 PERCENT SLOPES	GILPIN	well	Low
Gb	GILPIN CHANNERY LOAM, 5 TO 12 PERCENT SLOPES	GILPIN	well	Medium
Gc	GILPIN CHANNERY LOAM, 12 TO 25 PERCENT SLOPES	GILPIN	well	Medium
Gd	GILPIN CHANNERY LOAM, 12 TO 25 PERCENT SLOPES, SEVERELY ERODED	WEIKERT	somewhat excessively	Medium
Ge	GILPIN CHANNERY SILT LOAM, 0 TO 5 PERCENT SLOPES	GILPIN	well	Low
Gf	GILPIN CHANNERY SILT LOAM, 5 TO 12 PERCENT SLOPES	GILPIN	well	Medium
Gg	GILPIN CHANNERY SILT LOAM, 12 TO 25 PERCENT SLOPES	GILPIN	well	Medium
Gh	GILPIN CHANNERY SILT LOAM, 12 TO 25 PERCENT SLOPES, SEVERELY ERODED	WEIKERT	somewhat excessively	Low

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Gk	GILPIN SHALY SILT LOAM, 0 TO 5 PERCENT SLOPES	GILPIN	well	Low
Gl	GILPIN SHALY SILT LOAM, 5 TO 12 PERCENT SLOPES	GILPIN	well	Medium
Gla	GRAVELLY TERRACES, 12 TO 25 PERCENT SLOPES	GRAVELLY TERRACES	well	Low
Glb	GRAVELLY TERRACES, 25 TO 45 PERCENT SLOPES	GRAVELLY TERRACES	well	Medium
Gm	GILPIN SHALY SILT LOAM, 5 TO 12 PERCENT SLOPES, SEVERELY ERODED	WEIKERT	somewhat excessively	Low
Gn	GILPIN SHALY SILT LOAM, 12 TO 25 PERCENT SLOPES	WEIKERT	somewhat excessively	Low
Gp	GILPIN SILT LOAM, 0 TO 5 PERCENT SLOPES	GILPIN	well	Low
Gr	GILPIN SILT LOAM, 5 TO 12 PERCENT SLOPES	GILPIN	well	Medium
Gs	GILPIN SILT LOAM, 12 TO 25 PERCENT SLOPES	GILPIN	well	Medium
Gt	GILPIN STONY SILT LOAM, 0 TO 25 PERCENT SLOPES	GILPIN	well	Medium
Gu	GILPIN STONY SILT LOAM, 25 TO 60 PERCENT SLOPES	WEIKERT	somewhat excessively	Medium
Gu	GILPIN STONY SILT LOAM, 25 TO 60 PERCENT SLOPES	ERNEST	moderately well	Very high
Gv	GILPIN SOILS, 25 TO 35 PERCENT SLOPES	WEIKERT	somewhat excessively	Medium
Gv	GILPIN SOILS, 25 TO 35 PERCENT SLOPES	WEIKERT	well	Medium
Gw	GILPIN SOILS, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	GILPIN	somewhat excessively	Medium
Gw	GILPIN SOILS, 25 TO 35 PERCENT SLOPES, SEVERELY ERODED	WEIKERT	well	Medium
Gx	GILPIN SOILS, 35 TO 60 PERCENT SLOPES	GILPIN	somewhat excessively	Medium
Gx	GILPIN SOILS, 35 TO 60 PERCENT SLOPES	WEIKERT	well	Medium
Gy	GILPIN SOILS, 35 TO 60 PERCENT SLOPES, SEVERELY ERODED	WEIKERT	well	Medium
Gy	GILPIN SOILS, 35 TO 60 PERCENT SLOPES, SEVERELY ERODED	GILPIN	somewhat excessively	Medium
Gz	GINAT SILT LOAM, 0 TO 5 PERCENT SLOPES	GINAT	poorly	Very high
Gz	GINAT SILT LOAM, 0 TO 5 PERCENT SLOPES	TYLER	somewhat poorly	Very high

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Ha	HOLSTON SILT LOAM, 0 TO 2 PERCENT SLOPES	ALLEGHENY	well	Low
Hb	HOLSTON SILT LOAM, 2 TO 8 PERCENT SLOPES	ALLEGHENY	well	Medium
Hc	HOLSTON SILT LOAM, 8 TO 15 PERCENT SLOPES	ALLEGHENY	well	Medium
La	LEETONIA STONY SANDY LOAM, 0 TO 25 PERCENT SLOPES	LEETONIA	well	High
Lb	LEETONIA STONY SANDY LOAM, 25 TO 60 PERCENT SLOPES	LEETONIA	well	High
Lc	LICKDALE SILT LOAM, 0 TO 2 PERCENT SLOPES	BRINKERTON	poorly	Very high
Lc	LICKDALE SILT LOAM, 0 TO 2 PERCENT SLOPES	COOKPORT	moderately well	Medium
Ld	LICKDALE SILT LOAM, 2 TO 10 PERCENT SLOPES	BRINKERTON	poorly	Very high
Ld	LICKDALE SILT LOAM, 2 TO 10 PERCENT SLOPES	COOKPORT	moderately well	High
Le	LICKDALE STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	BRINKERTON	poorly	Very high
Le	LICKDALE STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	COOKPORT	moderately well	High
Ma	MONONGAHELA SILT LOAM, 0 TO 2 PERCENT SLOPES	MONONGAHELA	moderately well	Low
MADE	MADE LAND, STRIP MINES	MADE LAND		High
Mb	MONONGAHELA SILT LOAM, 2 TO 8 PERCENT SLOPES	MONONGAHELA	moderately well	Medium
Mc	MONONGAHELA SILT LOAM, 8 TO 15 PERCENT SLOPES	MONONGAHELA	moderately well	Medium
Md	MONONGAHELA SILT LOAM 15 TO 25 PERCENT SLOPES	MONONGAHELA	moderately well	High
Md	MONONGAHELA SILT LOAM 15 TO 25 PERCENT SLOPES	HOLSTON	well	Medium
Na	NOLO SILT LOAM, 0 TO 2 PERCENT SLOPES	NOLO	poorly	Very high
Na	NOLO SILT LOAM, 0 TO 2 PERCENT SLOPES	COOKPORT	moderately well	Medium
Nb	NOLO SILT LOAM, 2 TO 10 PERCENT SLOPES	NOLO	poorly	Very high
Nb	NOLO SILT LOAM, 2 TO 10 PERCENT SLOPES	COOKPORT	moderately well	High
Nc	NOLO STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	NOLO	poorly	Very high

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Nc	NOLO STONY SILT LOAM, 0 TO 8 PERCENT SLOPES	COOKPORT	poorly	High
Pa	PHILO FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	PHILO	moderately well	Low
Pb	PHILO SILT LOAM, 0 TO 6 PERCENT SLOPES	PHILO	moderately well	Low
Pc	POPE FINE SANDY LOAM, 0 TO 5 PERCENT SLOPES	POPE	well	Very low
Pd	POPE FINE SANDY LOAM, 5 TO 8 PERCENT SLOPES	WHEELING	well	Medium
Pe	POPE SILT LOAM, 0 TO 5 PERCENT SLOPES	POPE	well	Low
Ra	RAYNE SILT LOAM, 0 TO 5 PERCENT SLOPES	RAYNE	well	Low
Rb	RAYNE SILT LOAM, 5 TO 12 PERCENT SLOPES	RAYNE	well	Medium
Rc	RAYNE SILT LOAM, 12 TO 25 PERCENT SLOPES	RAYNE	well	Medium
Sa	SCIOTOVILLE SILT LOAM, 0 TO 2 PERCENT SLOPES	SCIOTOVILLE	moderately well	Low
Sb	SCIOTOVILLE SILT LOAM, 2 TO 8 PERCENT SLOPES	SCIOTOVILLE	moderately well	Medium
Sc	SCIOTOVILLE SILT LOAM, 8 TO 15 PERCENT SLOPES	SCIOTOVILLE	moderately well	Medium
Sd	SHELOCTA SILT LOAM, 2 TO 8 PERCENT SLOPES	SHELOCTA	well	Medium
Se	SHELOCTA SILT LOAM, 8 TO 15 PERCENT SLOPES	SHELOCTA	well	Medium
Ta	TYLER SILT LOAM, 0 TO 2 PERCENT SLOPES	TYLER	somewhat poorly	Very high
Tb	TYLER SILT LOAM, 2 TO 10 PERCENT SLOPES	TYLER	somewhat poorly	Very high
Wa	WESTMORELAND SILT LOAM, 0 TO 5 PERCENT SLOPES	CULLEOKA	well	Very low
Wb	WESTMORELAND SILT LOAM, 5 TO 12 PERCENT SLOPES	CULLEOKA	well	Low
Wc	WESTMORELAND SILT LOAM, 12 TO 25 PERCENT SLOPES	CULLEOKA	well	Low
Wd	WESTMORELAND SILT LOAM, 25 TO 35 PERCENT SLOPES, ERODED	WEIKERT	well	Medium
Wd	WESTMORELAND SILT LOAM, 25 TO 35 PERCENT SLOPES, ERODED	WEIKERT	somewhat excessively	Medium
We	WHARTON SILT LOAM, 0 TO 2 PERCENT SLOPES	WHARTON	moderately well	Medium
Wf	WHARTON SILT LOAM, 2 TO 8 PERCENT SLOPES	WHARTON	moderately well	High

Report: Index Surface Runoff Classes
USDA-NRCS Soil Survey Database

Clarion County, Pennsylvania

MAP UNIT SYMBOL	MAP UNIT NAME	COMPONENT NAME	DRAINAGE	SURFACE RUNOFF
Wg	WHARTON SILT LOAM, 8 TO 15 PERCENT SLOPES	WHARTON	moderately well	High
Wh	WHARTON SILT LOAM, 15 TO 25 PERCENT SLOPES	WHARTON	moderately well	Very high
Wk	WHARTON SILT LOAM, CONCRETIONARY VARIANT, 0 TO 5 PERCENT SLOPES	WHARTON VARIANT	moderately well	Medium
Wl	WHARTON SILT LOAM, CONCRETIONARY VARIANT, 5 TO 12 PERCENT SLOPES	WHARTON VARIANT	moderately well	High
Wm	WHARTON SILT LOAM, CONCRETIONARY VARIANT, 12 TO 30 PERCENT SLOPES, ERODED	WHARTON VARIANT	moderately well	Very high
Wn	WHEELING GRAVELLY LOAM, 0 TO 8 PERCENT SLOPES	WHEELING	well	Low
Wo	WHEELING GRAVELLY LOAM, 8 TO 15 PERCENT SLOPES	WHEELING	well	Medium
Wp	WHEELING SILT LOAM, 0 TO 2 PERCENT SLOPES	WHEELING	well	Low
Wr	WHEELING SILT LOAM, 2 TO 8 PERCENT SLOPES	WHEELING	well	Medium
Ws	WHEELING SILT LOAM, 8 TO 15 PERCENT SLOPES	WHEELING	well	Medium
Ws	WHEELING SILT LOAM, 8 TO 15 PERCENT SLOPES	CHENANGO	well	Low
Ws	WHEELING SILT LOAM, 8 TO 15 PERCENT SLOPES	WHEELING GRAVELLY	well	Medium
Wt	WHEELING SILT LOAM, 15 TO 25 PERCENT SLOPES	CHENANGO	well	Low
Wt	WHEELING SILT LOAM, 15 TO 25 PERCENT SLOPES	WHEELING	well	High
Wt	WHEELING SILT LOAM, 15 TO 25 PERCENT SLOPES	WHEELING GRAVELLY	well	Medium

(1) A null value in Ksat makes the calculated runoff class uncertain. Null values are most commonly in bedrock layers or hardpans that should be assigned impermeable or very slow Ksat values. Calculation Based on National Soils Handbook, Part 618-50; and Soil Survey Manual, p113-114